

3 establish a plurality of communication sessions
4 at a given packet data protocol address; and
5 separately assess charges for each of those
6 sessions.

1 8. The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 estimate the charges for all legs of mobile terminated
4 calls.

1 9. The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 provide a real time estimate of charges for each of those
4 sessions.

1 10. The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 use information from Advice of Charge supplementary
4 services.

1 11. The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 use quality of service parameters to supplement the
4 estimate of cost for each session.

1 12. The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 utilize mobility management state information to estimate
4 real time charges per session.

1 13. A wireless telephone comprising:
2 a processor; and
3 a storage storing instructions that enable the
4 processor to establish a plurality of sessions at a given
5 packet data protocol address and separately assess
6 charges for each of said sessions.

1 14. The telephone of claim 13 wherein said software
2 stores instructions enable the processor to estimate the
3 charges for all legs of mobile terminated calls.

1 15. The telephone of claim 13 wherein said software
2 storage stores instructions that enable the processor to
3 provide a real time estimate of the charges for each
4 session.

1 16. The telephone of claim 13 wherein said storage
2 stores instructions that enable the processor to use
3 information from the Advice of Charge supplementary
4 services.

1 17. The telephone of claim 13 wherein said storage
2 stores instructions that enable the processor to use
3 quality of service parameters to supplement the estimate
4 of cost for each session.

1 25. The article of claim 24 further storing
2 instructions that enable the processor-based system to
3 use the mobility management information to determine if a
4 telephone call is a roaming or non-roaming call.

1 26. The article of claim 24 further storing
2 instructions that enable the processor-based system to
3 determine a charge for a non-roaming leg when the call is
4 mobile terminated.

1 27. A wireless telephone comprising:
2 a processor; and
3 a storage storing instructions that enable the
4 processor to access mobility management information for
5 both call origination and call termination and use the
6 mobility management information to assess a charge for a
7 telephonic communication.

1 28. The system of claim 27 wherein said storage
2 stores instructions that enable the processor to use the
3 mobility management information to determine if a
4 telephone call is a roaming or non-roaming call.

1 29. The system of claim 27 wherein said storage
2 stores instructions that enable the processor to
3 determine a charge for a non-roaming leg when a call is
4 mobile terminated.

1 30. The system of claim 27 wherein said telephone
2 is a third generation wireless telephone.